Thermal Materials Workshop 2001

Application of Foam Metal Technology to Aircraft Systems-Direction and Status

John Klein & Jim Whiteside

- NORTHROP GRUMMAN

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188
Public reporting burder for this collection of information is estibated to and reviewing this collection of information. Send comments regarding Headquarters Services, Directorate for Information Operations and Rep law, no person shall be subject to any penalty for failing to comply with	this burden estimate or any other aspect of this colle orts (0704-0188), 1215 Jefferson Davis Highway, Si	ection of information, inc uite 1204, Arlington, VA	luding suggestions for reducing 22202-4302. Respondents sho	g this burder to Department of Defense, Washington ould be aware that notwithstanding any other provision of
1. REPORT DATE (DD-MM-YYYY) 30-05-2001	2. REPORT TYPE Workshop Presentations	·		COVERED (FROM - TO) to 01-06-2001
4. TITLE AND SUBTITLE	workshop i resentations		5a. CONTRACT	
Application of Foam Metal Technology to Aircraft Systems- Direction and Status Unclassified			5b. GRANT NUMBER	
			5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				
Klein, John ;			5d. PROJECT NUMBER 5e. TASK NUMBER	
Whiteside, Jim;			5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME AND ADDRESS			8. PERFORMING ORGANIZATION REPORT	
Northrop Grumman xxxxx			NUMBER	
XXXXX, XXXXXXX				
9. SPONSORING/MONITORING AGENCY NAME AND ADDRESS			10. SPONSOR/MONITOR'S ACRONYM(S)	
Office of Naval Research International Field Office			11. SPONSOR/MONITOR'S REPORT	
Office of Naval Research			NUMBER(S)	
Washington, DCxxxxx				
12. DISTRIBUTION/AVAILABILITY ST APUBLIC RELEASE ,	ATEMENT			
13. SUPPLEMENTARY NOTES See Also ADM001348, Thermal Materials downloaded from: http://www-mech.eng.c		ridge, UK on M	1ay 30-June 1, 200	11. Additional papers can be
14. ABSTRACT ? Outgrowth of DARPA Ultra-Lightweight Study (our introduction to this community Management of Airborne Early Warning & Materials ? Rules and Tools, Relevant Data)? MURI (foams and periodic set Electronic Warfare Systems?	structures) ? Pr Technology Tr	esent Project? Str	ructurally Integrated Thermal
15. SUBJECT TERMS				
16. SECURITY CLASSIFICATION OF:	OF ABSTRACT Public Release	18. NUMBER OF PAGES 23	19. NAME OF R Fenster, Lynn lfenster@dtic.m	RESPONSIBLE PERSON il
a. REPORT b. ABSTRACT c. THIS PAGE Unclassified Unclassified			19b. TELEPHONE NUMBER International Area Code Area Code Telephone Number 703767-9007 DSN 427-9007	
				Standard Form 298 (Rev. 8-98) Prescribed by ANSI Std Z39.18

Program Participants

- Northrop-Grumman Corporation
- Technology Development, AEW&EW systems business area
- Logicon
- ONR / DARPA
- Ozer Engineering
- ERG

NORTHROP GRUMMAN

Integrated Systems


Introduction


- Outgrowth of DARPA Ultra-Lightweight Metallic Structures Program
- GASAR Component Design, Production, Test, and Cost-benefit Study (our introduction to this community)
- MURI (foams and periodic structures)
- Present Project
- Structurally Integrated Thermal Management of Airborne Early Warning & Electronic Warfare **Systems**
- Technology Transition
- DARPA Synthetic Multi-Functional Materials
- Rules and Tools, Relevant Database
- E-2C, Other Applications




Technical Areas

Behavior of Metal Foams and Lattice Structures Generic Technologies - Thermal and Structural











Integrated Systems


Applications


- E-2C Heat Exchanger Cores
- E-2C Avionics Racks
- EA-6B, F/A-18E/F, F/A-18G, JSF
- Unmanned Air Vehicles
- Commercial


NORTHROP GRUMMAN

Integrated Systems

High Efficiency Porous Metal Heat Exchangers







Structurally Integrated Thermal Management of Airborne Early Warning & Electronic Warfare Systems - 2

NORTHROP GRUMMAN
Integrated Systems
Sector

Project Tasks

- 1a. E-2C LCS Heat Exchanger Element Design, **Fabrication and Test**
- 2a. Heat Exchanger Elements for E-2C Avionics Racks - Concepts

NORTHROP GRUMMAN

Integrated Systems Sector

E-2C Air/Liquid Heat Exchanger


- Accommodate Increased Load Plus Growth Large and Heavy Air/Liquid Heat Exchanger to ·Conventional Redesign of
- Porous Metal Heat Exchanger Offers the Potential to be:
- Lighter
- Smaller
- Less Expensive

Than Conventional Redesign

Heat Exchanger Foam Metal

Integrated Systems NORTHROP GRUMMAN

E-2C Integrated Avionics Rack




- New Avionics Suite and Redesign of Racks and Cards and Allow for an Integrated Approach to System Cooling
- Opportunity to Address
 Thermal Management by Incorporating Integrated
 Cooling Capability
- Integrated Racks Offer Weight, Performance, Size Advantages



NORTHROP GRUMMAN
Integrated Systems
Sector


E-2C Interior



NORTHROP GRUMMAN

Integrated Systems Sector


Foam Metal Heat Exchanger Basic Concept



Structurally Integrated Thermal Management of Airborne Early Warning & Electronic Warfare Systems - 1

Integrated Systems

Manufacturing Demo Samples (ERG)



NORTHROP GRUMMAN


Integrated Systems Sector

Data requirements

- Heat transfer and pressure drop vs Reynolds Number
- Compressed Foams
- -Heff, ie η h_{true} A_{es}
- $-\Delta P/L$
- Present In preferred Kays & London (K&L) Heat **Transfer Data Format**
- Ref: Compact Heat Exchangers, Kays & London



Kays & London Data Presentation



Friction factor

Vρ

$$f = \frac{1}{4 \left(\frac{L}{D_h}\right) \left(\frac{\rho v^2}{2}\right)}$$

Colburn j factor

$$j = \frac{h}{\rho c \rho V} P_r^{2/3}$$

Re

$$= St * Pr^{2/3}$$

NORTHROP GRUMMAN

Integrated Systems

Definition of Terms

- Flow velocity
- V= mass flow rate /(ρ A_{min}), where A_{min} is the minimum flow area.
- matrices G =ρV=W/(pA_{fr})
- Hydraulic diameter:
- $D_h = 4 \times (minimum flow area) / (total heat transfer)$ area)
- L = flow length of heat exchanger
- $R_e = \rho V D_h / \mu$

NORTHROP GRUMMAN
Integrated Systems

Projected Heff 10 ppi foam-sea level


NORMALIZED HEAT FLUX FROM THE BASE

10 PPI OPEN CELL ALUMINUM FOAM

COOLANT: AIR

Foam thickness (L), Relative density $(\boldsymbol{\rho})$

Preliminary



NORTHROP GRUMMAN

Integrated Systems

Heat Exchanger Design Methodology

- Kays & London type measured data for extended surtace
- pressure drop vs. Re
- heat transfer vs. Re
- Calculate h using K&L type data
- Apply <u>same</u> h to both extended surface and wall
- Calculate extended surface temperature effectiveness based on h, mat'l and geometry
- Calculate effective total heat exchange area




K&L Test Apparatus

NORTHROP GRUMMAN

Integrated Systems Sector


NGC KAYS & LONDON TEST SAMPLE



NORTHROP GRUMMAN

Integrated Systems Sector


KAYS & LONDON TEST APPARATUS



NORTHROP GRUMMAN

Integrated Systems

K&L HEATER POWER PID CONTROL TEST



NORTHROP GRUMMAN

Integrated Systems

Summary - Technical Status / Direction

- E-2C LCS heat exchanger
- Completed
- -LCS HX conceptual design
- -LCS HX initial sizing
- K&L test apparatus design, fabrication, checkout
- data acquisition system
- temperature controller testing
- air flow supply checkout
- Instrument calibration
- NGC K&L testing start 1-2 weeks
- Foam metal HX sub element fabrication demo
- Design system integration methodology



Summary - Technical Status / Direction (cont.)

- E-2C LCS work in progress
- K&L sample testing
- HX element fabrication demonstration
- HX element thermal performance demonstration
- Design system integration method verification
- E2C Integrated avionics racks
- preliminary concepts
- Structurally integrated heat exchangers
- preliminary concepts
- Additional specific aircraft applications

